Author Index

A
Adams TD, 136
Addy CL, 323
Adler NE, 10S
Ahern DK, 108
Ainsworth BE, 323
Alcaraz JE, 209
Alston S, 62
Ammerman A, 75
Anderson LM, 12S, 25S, 32S, 47S, 68S
Anton-Culver H, 190
Applegate M, 111S, 157S
Arday DR, 234
Audrain-McGovern J, 183

B
Baranowski J, 52
Baranowski T, 52
Barker WH, 102S
Bason JJ, 242
Beatty BL, 276
Berkman LF, 113
Blog D, 157S
Blumenthal DS, 371
Bolen J, 301
Bost JE, 62, 293
Bowen DJ, 152, 177
Brady BA, 270
Braun P, 276
Brown M, 209
Browneller PA, 106
Burke W, 160, 177

C
Cain KC, 9
Carande-Kulis VG, 25S, 32S
Carlsten C, 160
Chandramouli V, 276
Chang VW, 332
Chen JL, 340
Christakis NA, 332
Cibula DA, 90S, 95S, 118S, 124S, 139S, 150S
Cleary LM, 161S
Coben JH, 1
Colditz GA, 113
Colman GJ, 29
Conway TL, 209
Cramer EH, 22
Crosby RA, 367
Cross AW, 208
Cullen KW, 52
Cunningham DA, 316
Curran JW, 281

D
Dandoy SE, 361
Davidson AJ, 276
Davis MV, 361
deMoor C, 52
Denny CH, 71
Dolbear G, 133S
Durbin RE, 227
Dzewaltowski DA, 377

E
Edwards KL, 152
Elder JP, 209
Epling JW, 85S, 90S, 95S, 116S, 139S, 166S
Ettinger A, 260
Etzel RA, 375

F
Fernandez L, 75
Fesinmeyer M, 160
Fielding JE, 12S, 25S, 32S, 47S, 68S
Fine DN, 36
Fisher SG, 102S
French JB, 62
Fullilove MT, 12S, 25S, 32S, 47S, 68S

G
Garr DR, 164S
Geiger-Brown J, 270
Giovino GA, 110
Gohdes D, 265
Gold MR, 354
Goldman SM, 287
Graham CA, 367
Greaves WW, 361
Green NS, 120
Greenup M, 120
Gu DX , 227
Gwinn M, 136

H
Haffer SC, 234
Hambidge SJ, 276
Hampson L, 160
Harrison TA, 152
Harwell TS, 265
Hayes-Bautista DE, 8S
Helgerson SD, 265
Henningfield JE, 110
Hernandez-Avila M, 260
Hersh AL, 254
Hildebrandt VH, 218
Hills AP, 22
Hindorff LA, 152
Hollblad-Fadiman K, 287
Holt VL, 16
Holtzman D, 71
Honess-Morreale L, 52
Hu H, 260
Hughes C, 183
Hunt SC, 136
Husten CG, 234

I
Iatridis T, 242
Islam N, 52

J
Janakiraman V, 260
Järvelin M-R, 22
Jewell IK, 349
Jia H, 354
Johnson RE, 234
Jones SM, 234
Joyce T, 29

K
Kardia SLR, 143
Kawachi I, 113
Keku TO, 170
Kernic MA, 16
Khoury MJ, 128
Kim H, 152
Kimsey Jr. CD, 323
Kingsley GT, 6S
Kirtland KA, 323
Koval JJ, 316
Kristal AR, 43

L
LaMontagne DS, 36
Lane SD, 128S
Layde PM, 310
Leary LS, 249
LeBaron CW, 276
Lee S, 113
Lipscomb JA, 270
Littman AJ, 43
Lobato MN, 249
Lohr KN, 75
Lubetkin EI, 354
Lucey CT, 374
Ludman E, 177

M
Maibach EW, 120
Marcus S, 301
Marrazzo JM, 36
Marsh T, 52
Marshall SJ, 209
Martin C, 170
Massett HA, 120
McCurdy SA, 108S
McDowall JM, 265
McGrath BB, 152
McKenzie TL, 209
McKinley ED, 62
Meissner H, 301
Melinkovich P, 276
Mellinger-Birdsong AK, 242
Mercado-Garcia A, 260
Millikan RC, 170
Milton MH, 234
Mockenhaupt RE, 108
Modell SM, 143
Moore K, 265
Morris J, 199
Morrow CB, 85S 90S, 95S, 116S, 118S, 124S, 128S, 139S, 143S, 166S

© 2003 American Journal of Preventive Medicine • Published by Elsevier Inc.

0749-3797/03/$–see front matter
PII S0749-3797(03)00083-7

N
Näyhä S, 22
Neet MJ, 323
Neff LJ, 323
Nelson DE, 71, 301
Normand J, 32S, 47S, 68S
Novick LF, 83S, 85S, 90S, 95S, 116S, 118S, 124S, 128S, 133S, 143S, 150S, 166S
Nowalk MP, 349

O
Orleans CT, 75

P
Paterson DH, 316
Patrick K, 106
Patterson F, 183
Patterson RE, 43
Pawlson GE, 293
Pearson TA, 102S
Pender N, 75
Perry MJ, 310
Petrella RJ, 316
Petticrew M, 2S
Peyser PA, 143
Phalen JM, 108
Phibbs SL, 276
Phillips KA, 340
Pignone MP, 75
Pinidiya SD, 62
Porter DE, 323
Powell KE, 242
Press N, 177
Prochaska JJ, 209
Proper KI, 218

R
Rahkra-Burris TK, 170
Raymond M, 349
Reed K, 160
Rivara FP, 9, 16
Rixey S, 95S
Rodney P, 371
Rose CA, 110
Ross G , 285
Rubanowice DM, 9
Ryan CE, 120
Ryan KW, 62

S
Saitz R, 101
Sallis JF, 209
Samet JH, 101
Sanders SA, 367
Sandler RS, 170
Santibanez TA, 349
Satia-Abouta J, 43
Scheuner MT, 128
Scrimshaw SC, 12S, 25S, 32S, 47S, 68S
Scutchfield FD, 106
Seidman CS, 106
Serdula MK, 71
Sharpe PA, 323
Shih SC, 293
Shinn CM, 32S
Shonkoff JP, 4S
Simone PM, 249
Simpson P, 62
St. Charles J, 47S
Staples DA, 120
Steiner CA, 1
Steiner JF, 276
Storr CL, 270
Stratton KL, 43
Sugg NK, 9
Sutphen SM, 85S, 90S, 95S, 118S, 143S, 150S, 166S
Sutton S, 75

T
Tammelin T, 22
Task Force on Community Preventive Services, 12S, 21S, 25S, 32S, 47S, 68S
Terán S, 128S, 133S, 166S
Thompson JW, 62
Thompson RS, 9
Tomar SL, 285
Tosteson AN, 254
Trafton SH, 102S
Trinkoff AM, 270
Twisk JWR, 218
Tyagi A, 199

U
U.S. Preventive Services Task Force, 93
Ulrich YC, 9

V
van der Beek AJ, 218
van Mechelen W, 218
Vessel Sanitation Program Environmental Health Inspection Team, 227
von Reyn CF, 254
Vu T, 177

W
Weintraub TA, 101
Wells HE, 301
Wheeless SC, 234
White E, 43
Williams JE, 323
Wines RCM, 152
Wojtowycz MA, 143S
Wolf ME, 16
Woolf SH, 75

Y
Yarber WL, 367
Yoast RA, 373
Yoon PW, 128

Z
Zakeri I, 52
Zimmerman RK, 349
Ziogas A, 190
Zive MM, 209

Subject Index

A

adolescent physical activity, 22
adolescent
  STDs, 133S
  suicide prevention, 150S
AIDS, 1981-2031, commentary, 281
alcohol and tobacco use, 71
  and other drug abuse (ATOD), 101
American College of Preventive Medicine
    practice policy statement: screening for *Chlamydia trachomatis*, 287
anxiety and associated health status, 354
asthma
  family history as predictor, 160
  in children, 242
  management, new HEDIS measure, MCO reporting, 293

B

behavior change and family history, 183
behavior, weight-loss, 332
bicycle helmet effectiveness, 143S
birth weight, low, racial disparity, 128S
births
  premature, commentary, 208
  preterm, 120
book review
  field epidemiology, 375
  health promotion practice, 377
breast cancer screening estimates, 301

C

calcium supplements, pregnancy, 260
cancer registries, family, 190
cancer
  colon, family history, 170
  colorectal, and family history, 177
  screening estimates, U.S. metropolitan areas, 301
  screening, colorectal, 139S
cardiovascular disease (CVD)
  prevention, 136
  risk factors, American Indians, 265
caregivers, women, and risk of heart disease, 113
case-based prevention education
  adolescent suicide prevention, 150S
  bicycle helmet effectiveness, 143S
  colorectal cancer screening, 139S
  community health assessment, 118S
  maternal mortality, 157S
  racial and ethnic disparity in low birth weight, 128S
  sexually transmitted disease in adolescents, 133S
  tuberculosis in a homeless men's shelter, 124S
Case-Based Series in Population-Oriented Prevention (C-POP), 83S-169S
  commentary, 164S
case-based series, goal of, 95S
case-based teaching, 108S
cases in population-oriented prevention, list of topics (table), 114S
cervical cancer screening estimates, 301
childhood development
  early, 32S
  effectiveness of programs (Table), 35S
  programs, 21S
  studies measuring effect (Appendix), 42S
childhood, early interventions, 4S
children and asthma, 242
children's behavioral and social outcomes, 37S
children's health screening outcome, 37S
chinese patients, depression, anxiety, and health status, 354
chlamydia screening, new HEDIS measure, MCO reporting, 293
Chlamydia trachomatis
  infection in men, 36
  screening for, 287
chronic diseases, prevention of common, 128
cigarette smoking and pregnancy, 29
civil protection orders (CPO), 16
colorectal cancer
  risk, family history, 177
  screening estimates, 301
  screening, 139S
community health assessment, 118S
  domains to develop (table), 119S
community interventions to promote health social environments (Table), 14S
community-related environment and physical activity (table), 327
competence interventions, Appendix, 78S
competence, cultural, 68S
competencies, core, prevention education, 161S
  preventive medicine, ACPM, cases useful for (table), 115S
computer-based immunization registries, 276
condom effectiveness, 367
condom-use errors and problems, 367
coronary heart disease
  prevention, 143
  women, 113
correctional facilities, latent TB in, 249
counseling
  dietary, effectiveness, 75, 93
  individual, and physical activity, 218
C-POP, user's guide to teaching prevention, 116S
cruise ships, diarrheal diseases, 227
culturally competent health care systems, 68S
  commentary, 8S
culture, role of in health care, 69S
curriculum
  case-based, preclinical, 108S
  double helix (figure), 104S
  double helix, 102S
  evaluation of preventive medicine, 90S

D

deaths, gunshot, 1
depression and associated health status, 354
diabetes
  American Indians and CVD, 265
  family history as tool, 152
diarrheal disease, cruise ships, 227
diet, healthy
  counseling in primary care, 93
  U.S. adult, 75, 93
dietary supplements and medical conditions, 43
disparities
  commentary, 10S
  heath, 68S
domestic violence and utilization patterns, 9
double helix curriculum, 102S
drinking, physician advice, 71

E

early childhood development programs
  commentary, 4S
  effectiveness, 32S
eating and physical activity, 209
education, preventive medicine, 111S
eHealth, science and advancement of, 108
elderly, disabled, and smoking, 234
environment, social, and health, 12S, 25S
environmental
  health programs, cruise ships, 227
  intervention for eating and physical activity, 209
  measures, physical activity supports, 323
evaluating prevention education, 85S, 90S
evaluation, dietary outcome, multimedia game, 52
exercise for fitness, doctor-prescribed, 316

F

family history
  and asthma, 160
  and cardiovascular disease, 136
  and coronary heart disease, 143
  as screening tool, 129
  of colon cancer as tool, 170
  of diabetes as tool, 152
  theme articles, 128–207
  tools, utility of, 199
family housing interventions, 22S
family outcomes and early childhood development, 37S
family registries, cancer, 190
farm pesticides, 310
fat, dietary, studies of counseling to reduce, Tables, 77, 80
fiber, dietary, studies of counseling to reduce, Tables, 85, 87
firearm-related injuries, 1

© 2003 American Journal of Preventive Medicine • Published by Elsevier Inc.

fruit, juice, and vegetable consumption, children, 52
fruits and vegetables, studies of counseling to reduce, Tables, 82, 84

G

game, multimedia, psychoeducational, 52
graduate programs
  and public health workforce, 361
  in public health, commentary, 371
gunshot deaths, 1

H

health care, culturally competent, commentary, 8S
health disparities, 68S
  reduce, commentary, 10S
health education materials, appropriate, 74S
healthcare quality, 62
healthcare settings, culturally specific, 75S
healthcare systems, culturally competent, 23S, 68S
HIV and AIDS, commentary, 281
HIV testing, home, instant, 340
  willingness to use, 340
homeless shelter, men's, TB, 124S
housing
  affordable, 47S
  conditions and health, commentary, 6S
  developments, mixed-income, 23S, 52S
  education, and health, 23S
  family interventions, 22S
  family, 47S
  health, and the neighborhood, commentary, 6S
  low-income, 47S
  programs to reduce residential segregation (Table), 48S
hypertension control, new HEDIS measure, MCO reporting, 293

I

immunization
  childhood, 276
  registries, 276
income and housing, 47S
Indians, American, CVD and diabetes, 265
influenza vaccine, shortage, patient beliefs, 349
injuries
  firearm-related, 1
  musculoskeletal, nurses, 270
injury prevention, bicycle helmet effectiveness, 143S
intervention(s)
  case-based teaching, 83S
  community, to promote healthy social environments (Table), 14S
  environmental, middle school, 209
  nutrition, middle school, 209
  randomized controlled, farm pesticides, 310
intimate partner violence (IPV), 9, 16

L

language, role of in health care, 69S
letter to the editor
  Fighting Back Coalition, 373
  occupational medicine, 374
lifestyle, sedentary as risk for disease, 316

M

managed care organizations, health plan reporting, 293
maternal mortality, 157S
medical care utilization patterns, 9
Medicare managed care, smoking and functional status, 234
menopause counseling, new HEDIS measure, MCO reporting, 293
minorities, racial and ethnic, meeting healthcare needs of, 68S
mixed-income housing developments, 52S
mortality, maternal, 157S

N

National Electronic Injury Surveillance System (NEISS), 1
National Violence Against Women (NVAW) Survey, 9
Nationwide Inpatient Sample (NIS), 1
neighborhood(s)
  characteristics and physical activity (table), 325
  conditions and health, commentary, 6S
  unsafe, 47S
New York State Preventive Medicine Residency (NYSPMR), 111S
nurses, occupational injuries, 270

O

obesity, 332
  physical inactivity, 218
occupational injuries, nurses, 270

P

partner violence, 16
Patient-centered Assessment and Counseling for Exercise and Nutrition (PACE), 218
pesticides, farm, 310
physical activity
  adolescent, 22
  adult, 22
  and eating, 209
  and individual counseling, 218
  primary care prescribed, 316
  supports, environmental measures, 323
physical education (PE), middle schools, 209
physical inactivity, risk factor, 218
physician(s)
  advice, smoking, drinking, 71
  primary care, exercise prescription, 316
policies, social, commentary, 2S
pregnancy and smoking, 29
premature births, commentary, 208
prematurity, public perceptions, 120
preterm births, 120
prevention
  education, evaluating, 85S
  population-based, 161S
  teaching, importance of, 85S
preventive health care, health plan reporting, 293
preventive medicine
  education, 83S, 111S
  residents, 111S
    education, 101
  teaching cases in preclinical curriculum, 108S
primary care physicians, exercise prescription, 316
programs, graduate, public health training force, 361
providers, training for, culturally competent, 74S
public health
  graduate programs, commentary, 371
  workforce, 361

Q

quality-of-care (QOC), health plan, 62

R

racial and ethnic disparity in low birth weight, 128S
recruitment of culturally diverse staff, 73S
registries
  computer-based immunization, 276
  family, cancer, 190
  immunization, 276
rental assistance programs
  tenant-based, 22S, 53S
    effectiveness of (Table), 54S
    studies, outcomes (Appendix), 59S
residential segregation by income, 47S
residents
  preventive medicine, 111S
    education, 101

S

sanitation inspection report, vessel, 229
screening tool, family history, 129
segregation, socioeconomic, 49S
sexually transmitted disease (STD)
  in adolescents, 133S
  in men, 36
  prevention and condom use, 367
shipboard outbreaks, diarrheal diseases, 227
skills acquisition, evaluating, 90S
skin testing, latent TB, 254
smoking
  and functional status, 234
  and pregnancy, 29
  and snuff use (letters), 285
  elderly, disabled, 234
  physician advice, 71
snuff use and smoking (letters), 285
social determinants of health, 12S
social environment and health, 12S, 21S, 25S
  model (figure), 26S
social policies, commentary, 2S
Squire's Quest!, 52
staff
  bilingual providers, 73S

recruitment of culturally diverse, 73S
retention of culturally diverse, 73S
standards, national, for culturally competent health services, 70S (table), 71S
State University of New York–Upstate Medical University, 83S, 90S
Step Test Exercise Prescription (STEP) project, 316
suicide, adolescent, 150S
supplements
calcium, and pregnancy, 260
vitamin and mineral, 43

T

teaching prevention
importance of, 85S
user's guide to C-POP, 116S
user's guide to C-POP, future applications, 166S
tobacco and alcohol use, 71
training for healthcare providers, culturally competent, 74S
tuberculosis (TB)
in a homeless men's shelter, 124S
latent, 249
and skin testing, 254
in correctional facilities, 249

U

U.S. Department of Housing and Urban Development, 47S
undergraduate medical education, 108S
University of California, Davis, preventive medicine teaching, 108S
University of Rochester, preventive medicine teaching, 102S
utilization patterns, medical care, 9

V

vaccine, influenza, shortage, patient beliefs, 349
vessel sanitation inspection report, 229
vessel Sanitation Program (VSP), 227
vitamin and mineral supplements, 43
vitamins and Lifestyle (VITAL) study, 43
voucher programs, 22S, 53S

W

weight appropriateness, self-perception of, 332
weight-loss behavior, 332
women caregivers and risk of heart disease, 113